

Advanced Energy	Thunder Power RC # TP5300-2SPR65B		Thunder Power LiPo 2S 7.4v. 5300 mah. 65C Wt. 280/304 g.	Length: 137.72 mm. Width: 46.44 mm. High: 23.15 mm. Wt. 293.8 g.	02.01.2011
Advanced Energy	Thunder Power RC # TP5300-2SPR65D		Thunder Power LiPo 2S 7.4v. 5300 mah. 65C Wt. w/wire 297/321 g.	Length: 138.98 mm. Width: 46.84 mm. High: 23.33 mm. Wt. w/wire 298.9 g.	02.01.2011
Advanced Energy	Thunder Power RC # TP6000-2SPR65B		Thunder Power LiPo 2S 7.4v. 6000 mah. 65C Wt. 288/312 g.	Length: 138.76 mm. Width: 46.75 mm. High: 24.65 mm. Wt. 300.7 g.	02.01.2011
Associated Electrics	Reedy # 628		Reedy LiPo 2S 7.4v. 5500 mah. 60C Wt. 291/315 g.	Length: 138.34 mm. Width: 46.49 mm. High: 24.70 mm. Wt. 303.7 g.	02.01.2011
Bionic Batteries	Bionic # BCS35-5000-0201		Bionic LiPo 2S 7.4v. 5000 mah. 35C Wt. 262/284 g.	Length: 137.97 mm. Width: 46.16 mm. High: 23.21 mm. Wt. 277.0 g.	02.01.2011
Bionic Batteries	Bionic # BCS50-5000-0201		Bionic LiPo 2S 7.4v. 5000 mah. 50C Wt. 278/302 g.	Length: 138.06 mm. Width: 46.19 mm. High: 23.12 mm. Wt. 287.1 g.	02.01.2011
Bionic Batteries	Bionic # BCS50-5400-0201		Bionic LiPo 2S 7.4v. 5400 mah. 50C Wt. 290/314 g.	Length: 138.33 mm. Width: 46.19 mm. High: 24.77 mm. Wt. 304.9 g.	02.01.2011
CS-Electronic	CS Professional # C211018		CS LiPo 2S 7.4v. 29.6 Wh 40C Wt. 211/229 g.	Length: 138.33 mm. Width: 46.71 mm. High: 23.52 mm. Wt. 212.4 g.	02.01.2011
CS-Electronic	CS Professional # C211020		CS LiPo 2S 7.4v. 39.9 Wh 50C Wt. 269/291 g.	Length: 138.62 mm. Width: 46.77 mm. High: 24.77 mm. Wt. 278.8 g.	02.01.2011
CS-Electronic	CS Professional # C211021		CS LiPo 2S 7.4v. 44.4 Wh 70C Wt. 308/332 g.	Length: 138.28 mm. Width: 46.23 mm. High: 24.68 mm. Wt. 326.8 g.	02.01.2011
Graupner	GM V-MAXX # 99012		GM LiPo 2S 7.4v. 5800 mah. 60C Wt. 279/301 g. 1 off Tube 3.5mm.	Length: 137.33 mm. Width: 46.32 mm. High: 23.19 mm. Wt. 289.2 g.	02.01.2011
Graupner	GM V-MAXX # 99013		GM LiPo 2S 7.4v. 5800 mah. 60C. Wt. 279/301 g.	Length: 137.34 mm. Width: 46.28 mm. High: 23.23 mm. Wt. 288.4 g.	02.01.2011

Graupner	GM V-MAXX # 99010		GM LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g. 1 off Tube 3.5mm.	Length: 137.07 mm. Width: 46.22 mm. High: 24.97 mm. Wt. 304.4 g.	02.01.2011
Graupner	GM V-MAXX # 99011		GM LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.24 mm. Width: 46.33 mm. High: 24.95 mm. Wt. 303.6 g.	02.01.2011
Intellect Battery	IP # RB2S3800V5		Intellect LiPo 2S 7.4v. 3800 mah. 50C Wt. 202/218 g.	Length: 137.51 mm. Width: 46.43 mm. High: 23.87 mm. Wt. 207.4 g.	02.01.2011
Intellect Battery	IP # CC2S5800V6		Intellect LiPo 2S 7.4v. 5800 mah. 60C Wt. 279/301 g.	Length: 137.12 mm. Width: 46.27 mm. High: 23.17 mm. Wt. 290.1 g.	02.01.2011
Intellect Battery	IP # CC2S6200V6		Intellect LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.06 mm. Width: 46.39 mm. High: 24.88 mm. Wt. 304.7 g.	02.01.2011
LRP	LRP Hyper Pack. # 79898		LRP LiPo 2S 7.4v. 34.1 Wh. 30C Wt. 208/224 g.	Length: 137.79 mm. Width: 46.37 mm. High: 22.83 mm. Wt. 216.5 g Has chassis location.	02.01.2011
VTEC	VTEC Fat Cobra. # 79885		LRP LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 294/318 g.	Length: 138.84 mm. Width: 46.76 mm. High: 24.97 mm. Wt. 306.7 g Has chassis location.	02.01.2011
VTEC	VTEC Big Mama. # 79886		LRP LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 295/319 g.	Length: 137.96 mm. Width: 46.25 mm. High: 24.98 mm. Wt. 307.2 g Has chassis location.	02.01.2011
Modern Creations	Team Silverback Sapphire # 6200602SIN		Team Silverback LiPo 2S 7.4v. 6200 mah. 60C Wt. 306/330 g.	Length: 138.51 mm. Width: 46.44 mm. High: 24.77 mm. Wt. 309.4 g.	02.01.2011
VTEC	Nosram X-treme Race Fat Cobra # 99950		Nosram LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 295/319 g.	Length: 138.91 mm. Width: 46.80 mm. High: 24.97 mm. Wt. 307.0 g Has chassis location.	02.01.2011
VTEC	Nosram X-treme Race Big Mama # 99951		Nosram LiPo 2S 7.4v. 45.9 Wh. 65C Wt. 295/319 g.	Length: 137.96 mm. Width: 46.25 mm. High: 24.98 mm. Wt. 308.3 g Has chassis location.	02.01.2011
Robitronic Electronic	Robitronic # RO5240		Robitronic LiPo 2S 7.4v. 5500 ?? 60C Wt. 283/307 g.	Length: 138.28 mm. Width: 46.11 mm. High: 23.17 mm. Wt. 298.5 g.	02.01.2011

Robitronic Electronic	Robitronic # RO5241		Robitronic LiPo 2S 7.4v. 6000 ?? 60C Wt. 315/341 g.	Length: 138.35 mm. Width: 46.12 mm. High: 24.71 mm. Wt. 327.5 g	02.01.2011
Superior Matching Concept	SMC C-Max # 6060CMI		SMC LiPo 2S 7.4v. 6000 mah. 60C Wt. 312/336 g.	Length: 138.61 mm. Width: 46.70 mm. High: 24.97 mm. Wt. 322.5 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14043		Orion LiPo 2S 7.4v. 37.0 Wh. 90C Wt. 273/295 g.	Length: 138.46 mm. Width: 46.68 mm. High: 24.81 mm. Wt. 285.4 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14040		Orion LiPo 2S 7.4v. 37.0 Wh. 90C Wt. w/wire 283/307 g.	Length: 138.75 mm. Width: 46.59 mm. High: 24.63 mm. Wt. w/wire 297.4 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14044		Orion LiPo 2S 7.4v. 40.7 Wh. 90C Wt. 277/301 g.	Length: 138.45 mm. Width: 46.50 mm. High: 24.80 mm. Wt. 288.4 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14041		Orion LiPo 2S 7.4v. 40.7 Wh. 90C Wt. w/wire 286/310 g.	Length: 138.50 mm. Width: 46.51 mm. High: 24.72 mm. Wt. w/wire 301.3 g.	02.01.2011
Team ORION	ORION Carbon Pro # ORI14045		Orion LiPo 2S 7.4v. 48.1 Wh. 90C Wt. 279/303 g. Wt 2012 303/328 g.	Length: 138.20 mm. Width: 46.22 mm. High: 23.96 mm. Wt. 287.4 g. Wt. 2012 306.0 g.	02.01.2011 02.01.12
Team ORION	ORION Carbon Pro # ORI14042		Orion LiPo 2S 7.4v. 48.1 Wh. 90C Wt. w/wire 289/313 g. Wt. 2012 298/322 g.	Length: 138.46 mm. Width: 46.64 mm. High: 24.59 mm. Wt. w/wire 299.8 g. Wt. 2012 312.0 g.	02.01.2011 02.01.12
nVision	nVision # NV1104		nVision LiPo 2S 7.4v. 5500 mah. 60C Wt. w/wire 277/301 g.	Length: 138.10 mm. Width: 46.20 mm. High: 24.11 mm. Wt. w/wire 289.8 g.	02.01.2011
nVision	nVision # NV1100		nVision LiPo 2S 7.4v. 6400 mah. 90C Wt. 287/311 g.	Length: 138.39 mm. Width: 46.46 mm. High: 24.64 mm. Wt. 288.6 g.	02.01.2011
Tianco	ORCA Infinite # OB5860IH		Tianco LiPo 2S 7.4v. 5500 mah. 60C Wt. 278/302 g.	Length: 137.35 mm. Width: 46.45 mm. High: 23.34 mm. Wt. 289.8 g.	02.01.2011
Tianco	ORCA Infinite # OB6260IH		Tianco LiPo 2S 7.4v. 6000 mah. 60C Wt. 293/317 g.	Length: 137.26 mm. Width: 46.53 mm. High: 24.95 mm. Wt. 305.4 g.	02.01.2011

Vampire Racing	Vampire # VR-1016		Vampire LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.28 mm. Width: 46.46 mm. High: 24.59 mm. Wt. 304.0 g.	02.01.2011
Vapex Tech.	VP # VP93695		Vapex LiPo 2S 7.4v. 5900 mah. 50C Wt. 297/321 g.	Length: 137.39 mm. Width: 46.25 mm. High: 24.86 mm. Wt. 297.3 g.	02.01.2011
Enrichpower	EP # 600050		EP LiPo 2S 7.4v. 6000 mah. 50C Wt. 297/321 g.	Length: 138.05 mm. Width: 46.51 mm. High: 24.78 mm. Wt. 308.5 g.	02.01.2011
Fullymax	Fullymax # FB5600XT-2S2P-C-JC		Fullymax LiPo 2S 7.4v. 5600 mah. 55C Wt. 303/327 g.	Length: 137.76 mm. Width: 46.37 mm. High: 24.86 mm. Wt. 311.4 g.	02.01.2011
Fullymax	Fullymax # FB6000XT-2S2P-C-WB		Fullymax LiPo 2S 7.4v. 6000 mah. 55C Wt. w/wire 315/339 g.	Length: 138.43 mm. Width: 46.44 mm. High: 24.91 mm. Wt. w/wire 330.4 g.	02.01.2011
Italtrading	EZ-Power # EZP5700/2		Ital LiPo 2S 7.4v. 5700 mah. ? C Wt. 288/312 g.	Length: 137.37 mm. Width: 46.41 mm. High: 24.84 mm. Wt. 303.8 g.	02.01.2011
RC Plus	Python Plus # RC-PPC35-5000-2S1P		RC Plus LiPo 2S 7.4v. 5000 mah. 35C Wt. 265/287 g.	Length: 138.00 mm. Width: 46.20 mm. High: 23.20 mm. Wt. 276.5 g.	02.01.2011
RC Plus	Python Plus # RC-PPC50-5000-2S1P		RC Plus LiPo 2S 7.4v. 5000 mah. 50C Wt. 278/302 g.	Length: 137.93 mm. Width: 46.04 mm. High: 23.29 mm. Wt. 289.0 g.	02.01.2011
RC Plus	Python Plus # RC-PPC50-5400-2S1P		RC Plus LiPo 2S 7.4v. 5400 mah. 60C Wt. 290/314 g.	Length: 138.26 mm. Width: 46.39 mm. High: 24.86 mm. Wt. 301.5 g.	02.01.2011
Team Powers	Team Powers # TP-6200-60C-2S		Team Powers LiPo 2S 7.4v. 6200 mah. 60C Wt. 293/317 g.	Length: 137.16 mm. Width: 46.27 mm. High: 24.85 mm. Wt. 305.1 g.	02.01.2011
Xcelorin	Xcelorin # LOSB9880		SMC LiPo 2S 7.4v. 3800 mah. 60C Wt. 197/213 g.	Length: 95.57 mm. Width: 46.31 mm. High: 24.80 mm. Wt. 204.5 g.	02.01.2011
Xcelorin	Xcelorin # LOSB9877		SMC LiPo 2S 7.4v. 6000 mah. 60C Wt. 308/332 g.	Length: 138.63 mm. Width: 46.59 mm. High: 24.73 mm. Wt. 319.7 g.	02.01.2011

BATTERIES BELOW THIS LEVEL WERE APPROVED BY EFRA FOR 2010 AND ARE ALLOWED AT ALL 2012 EVENTS.